

FIRE EAGLE®

2.0 EXG

Art. No.: 507540

CE 0193 EN 15090:2012 HI3 CI M AN CR SRC – Typ F2A

Waterproof, breathable, with CROSSTECH® Laminate Technology preventing bacteria and virus ingress, GORE TEX Extraguard, HAIX Climate System shaft height 22 cm, anti-static, XP017 sole

Available in sizes UK 3 – 12, extra sizes UK 12½ – 15



GORE-TEX
CROSSTECH®
PRODUCT TECHNOLOGY



HAIX® RAPIDFIT System



HAIX® Climate System



HAIX® High Durability Cap System



HAIX® Vario Wide Fit System



RFID Pocket



Boot jack



507540

Uppers

GORE TEX Extraguard, lightweight, multi-layer synthetic textile material with integrated waterproof and breathable membrane, low water absorption and fast re-drying, flame-retardant, durable and easy-care. The additionally welded Extraguard outer material, together with the Gore Crosstech membrane, offers additional protection against hazardous substances.

Inner lining

CROSSTECH® Laminate Technology, waterproof and breathable. Abrasion-proof lining fabric for optimum climate comfort. Excellent penetration protection against blood and other bodily fluids (thus preventing ingress of viruses and bacteria).

Inlay

Comfortable with cushioning and moisture-wicking effect. Separate heel cup ensures optimised cushioning and foot guidance. "AIRFLOW" channels. "Perfect Fit" marking for optimised boot size choice.

HAIX® composite protective cap

Anatomically shaped, ultra-light protective cap made of fibre-reinforced plastic to meet the very highest safety requirements.

Insole

Moisture-absorbent Straw insole made from non-woven fabric.

HAIX® High Durability Cap System

TPU cap with special profile to ensure longer service life.

HAIX® protective sole

Flexible, lightweight metal sole insert to prevent punctures.

Sole

Lightweight rubber/PU sole in a sports style with a sturdy road/rough terrain profile, and enhanced toe-to-heel support; wear-resistant with excellent anti-slip properties – even in cold weather. A lightweight PU shock absorption wedge provides outstanding walking comfort and excellent thermal insulation. The flame-resistant outer sole is non-marking according to EN 15090:2012 and offers excellent resistance against heat and fuels. Its bright yellow signal marks are visible even through thick smoke.

HAIX® Arch Support System

Optimum ankle support and shock absorption in the arch area is provided by an anatomically formed last. Good foot guidance and a secure hold thanks to a narrow heel and ankle shaft combined with added comfort offered by a broad front foot area.

HAIX® Identification System

Name field for boot labelling.

HAIX® Vario Wide Fit System

Three different boot inserts enable you to adjust the boot to the width of your feet.

HAIX® Climate System

Micro-dry lining around the upper end of the shaft uses the natural pumping motion generated as you walk along to transport moisture to ventilation slits at the shaft and tongue.

HAIX® RAPIDFIT System

Two-zone lacing system for quick and optimum lacing adjustment and correct fit of the boot. An integrated protector offers additional safety.

Further features

Lateral reflective strips, 2-zone lacing system with instep protector, extra flexible shaft, pull-on straps, boot jack, ESD

UK	3	3½	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15
EU	35	36	37	37	38	39	39	40	41	41	42	43	43	44	45	45	46	47	47	48	48	49	50	50	51
US	4	4½	5	5½	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12	12½	13	13½	14	14½	15	15½	16

HAIX®-Schuhe, Produktions- und Vertriebs GmbH

Auhofstrasse 10, 84048 Mainburg, Germany
T. +49(0)8751/8625-0, F. +49(0)8751/8625-25
info@haix.de, www.haix.com